

HEFEI ECO BAMBOO FIBER WARE CO., LTD.
 ROOM 1908, GEZHOUBA INTERNATIONAL, NO 5211, FURONG ROAD, HEFEI, ANHUI, CHINA.

Sample Description : BAMBOO FIBER DINNERWARE SET
 Country of Origin : CHINA

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

SGS Ref No. : CANHG2000920101
 Sample Receiving Date : Jan 13, 2020
 Test Performing Date : Jan 14, 2020 to Jan 22, 2020
 Test Performed : Selected test(s) as requested by applicant
 Test Result(s) : For further details, please refer to the following page(s)

Result Summary :

Test Requested	Conclusion
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation – Overall migration	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments–Colour Release	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation–Specific migration of Melamine	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments– Specific Migration of Formaldehyde	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation–Specific Migration of Lead	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation–Specific Migration of Heavy Metal	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 and Commission Regulation (EU) No 284/2011 of 22 March 2011 and BfR recommendation –Specific migration of Formaldehyde	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation—Lead and Cadmium	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB) Section 30 & 31 with amendments -Total Arsenic Content	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB) Section 30 & 31 with amendments – Pentachlorophenol (PCP) content	PASS
Polycyclic Aromatic Hydrocarbons (PAHs)	PASS

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Joe



Joe Lu
Authorized Signatory



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center Headlines

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	CAN20-009201.001	Beige plate w/ multicolor printing	Bamboo+melamine

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation – Overall migration

Test Method : With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN 1186-1:2002 for selection of test methods; or EN 1186-9:2002 aqueous food simulants by article filling method;

<u>Simulant Used</u>	<u>Time</u>	<u>Temperature</u>	<u>Max. Permissible Limit</u>	<u>Result of 001 Overall Migration</u>	<u>Comment</u>
3% Acetic Acid (W/V) Aqueous Solution	2.0hr(s)	70°C	60mg/kg	<20mg/kg	PASS
10% Ethanol (V/V) Aqueous Solution	2.0hr(s)	70°C	60mg/kg	<20mg/kg	PASS

Notes :

1. mg/dm² = milligram per square decimeter
mg/kg = milligram per kilogram of foodstuff in contact with
2. °C = degree Celsius
3. Analytical tolerance of aqueous simulants is 2mg/dm² or 12mg/kg
4. Analytical tolerance of fatty food simulants is 3mg/dm² or 20mg/kg
5. The test data is obtained by considering the articles intended for repeated use as per described in Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex V. Report the 3rd extractive result.

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments–Colour Release

Test Method : With reference to Kunststoffe im Lebensmittelverkehr, Part B II IX.

<u>Test Item(s)</u>	<u>Limit</u>	<u>001</u>
Visible Color Migration in 2% Acetic Acid (W/V)	★	Negative
Comment		PASS
Visible Color Migration in Coconut Oil	★	Negative
Comment		PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Notes :

- 1. ★ = No color release observed
- 2. Negative = No color release observed, Positive = Color release observed.

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation—Specific migration of Melamine

Test Method : With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN 13130-1:2004 for selection of test method. Analysis was performed by LC-MS.

Sample 001

Simulant Used : 3% Acetic Acid (W/V) Aqueous Solution
 Test Condition : 70°C 2.0hr(s)

<u>Test Item(s)</u>	<u>Max. Permissible Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>Test result</u>
Migration times	-	-	-	3rd
Area/Volume	-	dm ² /kg	-	11
Specific migration of Melamine	2.5	mg/kg	2.0	ND
Comment				PASS

Notes :

- 1. mg/kg = milligram per kilogram of foodstuff in contact with
- 2. °C = degree Celsius
- 3. MDL=Method Detection Limit
- 4. ND = Not Detected(less than MDL)

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments— Specific Migration of Formaldehyde

Test Method : With reference to EN13130-1:2004 for selection of test method, analysis was performed by UV-Vis.

Sample 001

Simulant Used : 3% Acetic Acid (W/V) Aqueous Solution
 Test Condition : 70°C 2.0hr(s)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

<u>Test Item(s)</u>	<u>Max. Permissible Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>Test result</u>
Migration times	-	-	-	3rd
Area/Volume	-	dm ² /kg	-	11
Specific migration of Formaldehyde	15	mg/kg	0.1	2.3
Comment				PASS

Notes :

1. mg/kg = milligram per kilogram of foodstuff in contact with
2. °C = Degree Celsius
3. MDL=Method Detection Limit
4. ND = Not Detected(less than MDL)

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation—Specific Migration of Lead

Test Method : With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN 13130-1:2004 for selection of test method. Analysis was performed by ICP-MS.

Sample 001

Simulant Used : 3% Acetic Acid (W/V) Aqueous Solution
Test Condition : 70°C 2.0hr(s)

<u>Test Item(s)</u>	<u>Max. Permissible Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>Test result</u>
Migration times	-	-	-	1st
Area/Volume	-	dm ² /kg	-	11
Lead	★	mg/kg	0.01	ND
Comment				PASS

Notes :

1. mg/kg = milligram per kilogram of foodstuff in contact with
2. °C = degree Celsius
3. MDL=Method Detection Limit
4. ND= Not Detected(less than MDL)
5. ★= Absent



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation–Specific Migration of Heavy Metal

Test Method : With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and Annex V for selection of condition and EN13130-1:2004 for selection of test method, analysis was performed by ICP-OES.

Sample 001

Simulant Used : 3% Acetic Acid (W/V) Aqueous Solution

Test Condition : 70°C 2.0hr(s)

<u>Test Item(s)</u>	<u>Max. Permissible Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>Test result</u>
Migration times	-	-	-	3rd
Area/Volume	-	dm ² /kg	-	11
Barium	1	mg/kg	0.25	ND
Cobalt	0.05	mg/kg	0.01	ND
Copper	5	mg/kg	0.25	ND
Iron	48	mg/kg	0.25	ND
Lithium	0.6	mg/kg	0.5	ND
Manganese	0.6	mg/kg	0.25	ND
Zinc	5	mg/kg	0.5	ND
Aluminum	1	mg/kg	0.1	ND
Nickel	0.02	mg/kg	0.01	ND
Comment				PASS

Notes :

1. mg/kg = milligram per kilogram of foodstuff in contact with
2. °C = degree Celsius
3. MDL=Method Detection Limit
4. ND = Not Detected(less than MDL)
- 5.The limits of nickel according to Commission Regulation (EU) 2017/752 shall be applied from 19 May 2019.

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 and Commission Regulation (EU) No 284/2011 of 22 March 2011 and BfR recommendation –Specific migration of Formaldehyde

Test Method : With reference to EN13130-1:2004, analysis was performed by UV-Vis.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Sample 001

Simulant Used : 3% Acetic Acid (W/V) Aqueous Solution

Test Condition : 70°C 2.0hr(s)

<u>Test Item(s)</u>	<u>Max. Permissible Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>Test result</u>
Migration times	-	-	-	3rd
Area/Volume	-	dm ² /kg	-	11
Specific Migration of Formaldehyde	15	mg/kg	0.1	5.3
Comment				PASS

Notes :

1. mg/kg = milligram per kilogram of foodstuff in contact with
 2. °C = degree Celsius
 3. MDL=Method Detection Limit
 4. ND = Not Detected(less than MDL)
 5. Test condition was referred to EU JRC guidelines EUR 24815 EN 2011,in support of Commission Regulation (EU) No 284/2011 of 22 March 2011.
- Remark : The test is performed in triplicate as per EU JRC guidelines EUR 24815 EN 2011,in support of Commission Regulation (EU) No 284/2011 of 22 March 2011. The highest value among 3 trial results is reported.

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation—Lead and Cadmium

Test Method : Microwave digestion (GZTC CHEM-TOP-004-01) , analysis was performed by ICP-OES.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Cadmium (Cd)	★	mg/kg	2	ND
Comment				PASS
Lead (Pb)	★	mg/kg	2	-
Comment				-

Notes :

1. mg/kg = milligram per kilogram of sample
2. MDL=Method Detection Limit
3. ND= Not Detected(less than MDL)
4. ★= Absent
5. When lead or/and cadmium is/are found to be present but feasibly low in value to migrate, migaratable lead or cadmium will be determined to evaluate its compliance.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB) Section 30 & 31 with amendments -Total Arsenic Content

Test Method : With reference to US EPA Method 3052:1996(GZTC CHEM-TOP-004-01), analysis was performed by ICP-MS

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Total Arsenic Content	★	mg/kg	2	ND
Comment				PASS

Notes :

1. mg/kg = milligram per kilogram
2. MDL=Method Detection Limit
3. ND = Not Detected(less than MDL)
4. ★= Absent

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB) Section 30 & 31 with amendments – Pentachlorophenol (PCP) content

Test Method : With reference to § 64 LFGB BVL B 82.02.8 – 2001, analysis was performed by GC-ECD or GC-MS.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Pentachlorophenol (PCP)	5	mg/kg	0.05	ND
Comment				PASS

Notes :

1. mg/kg = milligram per kilogram
2. MDL=Method Detection Limit
3. ND = Not Detected(less than MDL)

Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method : With reference to AfPS GS 2014:01 PAK, analysis was performed by GC-MS.

<u>Test Item(s)</u>	<u>CAS NO.</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Sum of 18 PAHs	-	1.0	mg/kg	-	ND
Sum of 7 PAHs Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Pyrene, Anthracene, Fluoranthene	-	1.0	mg/kg	-	ND
Naphthalene(NAP)	91-20-3	1.0	mg/kg	0.1	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Acenaphthylene(ANY)	208-96-8	-	mg/kg	0.1	ND
Acenaphthene(ANA)	83-32-9	-	mg/kg	0.1	ND
Fluorene(FLU)	86-73-7	-	mg/kg	0.1	ND
Phenanthrene(PHE)	85-01-8	-	mg/kg	0.1	ND
Anthracene(ANT)	120-12-7	-	mg/kg	0.1	ND
Fluoranthene(FLT)	206-44-0	-	mg/kg	0.1	ND
Pyrene(PYR)	129-00-0	-	mg/kg	0.1	ND
Benzo(a)anthracene(BaA)	56-55-3	0.2	mg/kg	0.1	ND
Chrysene(CHR)	218-01-9	0.2	mg/kg	0.1	ND
Benzo(b)fluoranthene(BbF)	205-99-2	0.2	mg/kg	0.1	ND
Benzo(j)fluoranthene(BjF)	205-82-3	0.2	mg/kg	0.1	ND
Benzo(k)fluoranthene(BkF)	207-08-9	0.2	mg/kg	0.1	ND
Benzo(a)pyrene(BaP)	50-32-8	0.2	mg/kg	0.1	ND
Benzo(e)pyrene(BeP)	192-97-2	0.2	mg/kg	0.1	ND
Indeno(1,2,3-c,d)pyrene(IPY)	193-39-5	0.2	mg/kg	0.1	ND
Dibenzo(a,h)anthracene(DBA)	53-70-3	0.2	mg/kg	0.1	ND
Benzo(g,h,i)perylene(BPE)	191-24-2	0.2	mg/kg	0.1	ND

Comment

PASS

Notes :

1. mg/kg = milligram per kilogram of sample
2. MDL=Method Detection Limit
3. ND= Not Detected(less than MDL)

Remark: According to client's statements the tested samples are used in their products shown in the product photos.



Sample photo:



CAN20-009201.001

Product Photo:



End of Report

